



## Specification of mini EV Young



Version	300KM-SE	300KM-HSE	400KM-HSE
<b>Basic info</b>			
Battery range(km)	302		
Fast Recharge Time (h)	0.5		
Fast Recharging	80		
Maximum Power (kW)	35		
Maximum Torque (N·m)	125		
Maximum Speed (km/h)	100		
Dimensions(LWH,mm)	3740*1655*1550		
Doors No.	5		
Seats	4		
WheelBase(mm)	2415		
Kerb weight (kg)	1080	1080	1097
<b>Motor/Battery</b>			
Motor Type	PMSM		
Number of drive motors	Single		
Maximum torque (N.m)	125		
Motor Layout	Front Drive		
Battery Type	LFP	LFP	NCM
Battery Heating System	•		
Battery Capacity	32.56	32.56	38.51
<b>Gearbox/Chassis</b>			

Number of gears	1		
Transmission type	Fixed tooth ratio		
Front Suspension	McPherson		
Rear Suspension	Torsion beam dependent suspension		
Steering System	EPS		
Body Construction	Integral		
Shift pattern	Rotary Knob Shift Gear		
<b>Assistance / Control System</b>			
High Sensitive Parking Sensor	•		
Millimeter-wave Radar	-	•	•
Telligent Lane Assist	-	•	•
Rear overtaking	-	•	•
Blind Spot Monitoring	-	•	•
Door Opening Warning	-	•	•
Rear View Camera	•		
360° Surrounding View	•		
Cruise Control System	•		
Energy Recovery	•		
Hill Start Assist Control	•		
Remote Key	•		
Keyless Start	•		
Electric Air Conditioning	•		

OTA Upgrade	•
<b>Active/passive safety system</b>	
Airbag(primary/secondary)	•
Tire Pressure Alarm	•
Driver's Seat Belt	•
Vehicle Anti-theft Alarm	•
Interior Central Locking	•
Induction-type Automatic	•
Inducion-type Automatic	•
Low Speed Pedestrian	•
Emergency brake	•
One Click(intelligent) Car	•
ISOFIX	•
ESC	•
ABS /EBD	•
"●" means standard; "-" means there is no such configuration; "○"means optional	